


Author Index to Volume 15

- | | |
|--------------------|-----------------------|
| Berlin, A. A., 107 | Matvejeva, N. G., 107 |
| Hedvig, P., 375 | Millich, F., 207 |
| Johnson, J. F., 29 | Patchornik, A., 55 |
| Kraus, M. A., 55 | Voet, A., 327 |
| Kumar, N. G., 255 | Walter, R. B., 29 |
| Latham, J. P., 1 | |



Subject Index to Volume 15

- Abrasion, 328, 332, 361, 367
 Acoustic activity by crazing, 461
 -, emission technique, 461
 Acrylating polymers, 71
 Activation energy of crosslinking polymerization of oligoester acrylates, 136, 142, 144
 Activation energy of viscous flow, 267-269, 273, 274, 276, 282, 287, 292, 296, 320, 321
 Active MnO_2 , 234
 Active sites, 330
 Acyclic α -diketones, 232
 Acyclic tetraamine, 240
 σ -Acyl isocyanide, 235
 α,α -Addition, 213
 -, of monomers, 215
 Adhesion, 348, 356, 361
 Adsorbed elastomer, 343
 Adsorbed water, 360
 Aerogel, 355
 Aging, 448
 Agglomerates, 330, 334, 356, 357, 368
 Aggregates, 330, 334, 338, 341, 343, 344, 348, 356, 357, 368
 Aggregation, 247, 249
 Alkazine reaction, 234
 Aluminum chloride-polystyrene complex, 60
 Amines as starting materials, 210
 Anchoring agents, polymeric, 75
 Anelastic tunneling, 395
 Anhydrating agents of formamide derivative, 211
 Anhydrous silica, 355
 Anionic three-dimensional (crosslinking) polymerization of dimethacrylate bis-(triethylene glycol)phthalate, 147
 Anisotropy of compliance, 440
 Antioxidants, 453
 -, amines, 31, 39ff
 -, amine condensation products, 42, 43
 -, chemical names, 39ff, 52
 -, concentration ranges, 32
 -, design of, 30
 -, extraction of, 33
 -, gallate esters, 32
 -, liquid chromatography of, 39ff, 52
 -, mechanisms, 30ff
 -, standards preparation, 34
 -, substituted phenols, 31, 43ff
 -, sulfur-containing, 31, 48ff
 -, synergism, 31, 32
 -, tradenames, 39ff, 52
 Aromatic ring substitutions, 214
 Aryl isocyanides, aromatic substitution of, 212
 Associative formations of oligomers on kinetics of their crosslinking polymerization, influence of, 139-142
 Autocorrelation function
 -, macroscopic, 379
 -, electric dipole, 383
 -, by magnetic resonance, 410
 -, by neutron scattering, 424
 Average activation energy calculation, 393
 Azobenzene, 235
 Barrier theories, 381
 Benzyne, polymer-bound, 83
 BET area, 333
 Birefringent liquid crystalline phase, 243
 Birefringent mesophase, 244
 Bis-imino complexes, 236
 Bis(trimethacrylate pentaerythritol)-phthalate, kinetics of polymerization, 142
 -, influence of solvents on, 142
 "Black" poly(ethyl isocyanide), 247
 Blends, 438
 Blends, viscosity of
 -, polymer, 266
 -, polystyrene-poly(methyl methacrylate), 267
 -, polyethylene-polypropylene, 267
 -, polyethylene-polystyrene, 267
 Blends of elastomers, 354
 Bound rubber, 352
 Bound water, 357
 Branched polymers, see Branching
 Branching parameter, 286, 288-291
 -, of polymers, chains, viscosity of, 255, 256, 262, 263, 265, 285-293, 321
 Breadth of distribution, see Distribution
 Brillouin scattering, 422
 N,N' -2,3-Butanediylidenebis(aniline), 235

- Calorimeter equation, 417
Calorimeters, 417
Calorimetric detection of dielectric loss, 404
Calorimetry, 416
Carbon black-filled resins, 448
Carbon network, 331, 344, 346, 349, 354
Catalysis by sulfuric acid, 221
Catalysis of the hydrolysis of 2,4-dinitro-phenyl acetate, 247
Catalysts, polymeric, 59
Cellulose acetate, 269
Chain alignment, 329, 348
Chain atoms, 258, 262, 269
Chain branching, see Branching
Chain conformation, 249
Chain ends, 258
Chain growth, 231
Chain lengths, 257, 258, 261, 262
Chain stiffness, see Stiffness
Chain transfer in the polymerization of isocyanides, 235
Chemical aging, 449
Chemical cascade, 75
Chemical groups, 349, 350
Chemical interaction, 349
Chemical labeling, 429
Chemisorption, 331
Chemistry of vicinal ketones, 232
Chiral helices, 231, 232
Chiral isocyanides, 220
Chirality of the helix, 244
p-Chlorophenyl isocyanides, 222
Cholesteric liquid crystalline supramolecular arrangement of PPEI helices, 243
Cholesteric texture of PPEI, 243
Chromatographic column packings, 247
Chromatography of antioxidants, 29ff
-, compilation of applications, 39ff
-, gas chromatography, 35
-, high-performance, 36ff, 39ff
-, open column, 35, 39ff
-, paper, 35
-, size exclusion, 39ff
-, thin layer, 35
Circular dichroism, 241
Coefficient of expansion, see Expansion coefficient
Cohesive energy, 282, 284
Comb-shaped polymers, 287, 288, 291, 292
Compatability of elastomers, 354
Complex compliance, general expression, 379
-, permittivity, general expression, 382
Compliance tensor, 440
Composite oscillator ultrasonic spectrometer, 400
Compounds, 437
Concentration shift factor, 460
Condensation with amines, 233
Condensation with polyketones, 233
Conductivity, 348, 349
Conformational entropy, 273
Conformational transitions, 385
Conjugation of chains, 449
Continuum mechanics, 321
Copolymerization, 222
Copolymerization of binary mixtures of phenyl isocyanide, 222
Copolymerization of optically active monomers, 231
Copolymerization with diazomethane, 222
Copolymers, 437
Copolymers by derivatization, 231
Correlation function, electric dipole, 383
-, theories, 380
-, time, 383
Correlation of yield and viscosity, 218
Cotton effects of PPEI, 244
Coupling agents, 328, 331, 361, 363-365
Covalent chromatography, 65
Crack propagation, 329
Crankshaft motion, 384
Crazing, 456
Creep, 346, 347
Creep compliance, 302
Creep hardening, 368, 369
Critical hole size, 277
Critical molecular weight, 258-263, 265, 274, 282, 285, 294, 295
Crosslinking, 442
Crystallinity, 256, 267
CTAB area, 333, 357
Curing, 444
Curing systems, 362
Cyclic carbene complex of iron, 236
Cyclic α -diketones, 232
Cyclic imino-metallo complexes, 236
Cyclic metallo complexes, 236
Cyclic peptides, synthesis, 81
Cyclic polyimines, 240
Cyclizations, 214
Cyclohexyl isocyanide, 221, 222
DBP absorption, 335, 336, 343, 357
Debye-Scherrer x-ray patterns, 241

- Defect diffusion theory, 386
Degree of polymerization, 297
Dehydration steps, 234
Depolymerization, 450
Dewetting, 329, 348, 361
Dextrose, 234
Dialkylated isocynoacetic esters, 212
Diallylphthalate, pregelation stage of polymerization, 128, 129
N-(2,3-Dianilinopropaneylidene)aniline, 234
Dielectric depolarization spectroscopy, 407
Dielectric spectroscopy, 403
Diffusion, 458
-, controlled relaxation, 459
 α -Diketone analogs, 232
Dilatometry, 416
Dimers from isocyanides, 235
Dimethacrylate bis(triethylene glycol)-phthalate, polymerization, radical, 134, 136, 139, 142
-, anionic, 147-149
-, butylene glycol, kinetics of polymerization, 133, 138
-, decanediol, kinetics of polymerization, 133, 138
-, diethylene glycol, polymerization, 138
-, ethylene glycol, polymerization, 138
-, hexamethylene glycol, polymerization, 138
-, oligoethylene glycol formal, polymerization, 141
-, oligotetramethylene glycol, polymerization, 141
1,2-Diphenyl benzene, 275
Diphosgene, 211
Dipole autocorrelation function, 383
Dislocation dipole, 388
Dislocation loop, 388
-, theories, 387
Dispersion of silica, 360
Distribution
-, breadth of, 264
-, log normal, 264, 265, 291
-, of molecular weights, effect of viscosity, 255, 256, 258, 264-266, 295, 296, 304, 307, 308, 310-315, 318, 319
Distribution of black, 354
Domain, 343, 344, 359
du Pont module system, 398
-, relaxometer, 399
Dynamic calorimetry, 419
-, light scattering, 421
Dynamic properties, 344
Effective temperature, 390
Electrical resistivity, 247
Electron density differences among transition metal-isocyno complexes, 214
Electron diffraction patterns, 243
Electron micrography, 241, 337, 341
Electron spin resonance, 418
Electron tunneling, 349
Electron-withdrawing substituents, 220
Energy of activation, see Activation energy
Enolates, polymer-bound, 82
Entanglement density, 301
Entanglement molecular weight, 259, 292
Entanglement sphere, 301
Entanglement(s), effect on viscosity, 255, 257-259, 261, 286, 289, 290, 299-301, 309, 319
Enthalpy of activation values, 220
Enthalpy relaxation, 432
Entropy of activation values, 220
Entropy production upon loading, 419
Environmental effects, 448, 457
Epoxy resins, 443
Ester condensation, on polymers, 86
Estersil, 359
N,N'-Ethanediylidenebis(*p*-toluidine), 235
Exciton radius, 394
Excitons, 392
Expansion coefficient, 271, 272, 277
Extraction of antioxidants, 33ff
-, increasing polymer surface area, 34
-, review of methods, 33
-, storage of extracts, 33
-, with respect to particle size and solvent polarity, 33
Fabry-Perot interferometer, 11-13
Fatigue, 456
Filler-elastomer gel, 331
Five-membered carbene structure, 238
Flory-Fox equation, 250
Flow curve, 293
Flow index, 293, 294
Flow of polymer melts, see Viscosity of polymer melts
Fluorescence, 425
Forced oscillation mechanical spectrometer, 399
Form factor, 341
Formamides, anhydration of, 210
Formation of network polymers, by chain crosslinking polymerization of oligoester acrylates, 129-144

- , from oligomers by stepwise mechanism, 111-114
- Fourier transform dielectric spectroscopy, 405
- , NMR, 414
- Fractional free volume, 269-271
- Free radicals, 218
- Free volume, 19, 257, 258, 267, 269-271, 273, 274, 276, 277
- Free volume theory, 389
- Freezing point depressions, 243
- Frenkel exciton, 393
- Friction factor, 257, 258, 267, 271, 272, 281
- Fumed silica, 355
- Functional type distribution of oligomers, influence on kinetics and properties of network polyurethanes, 114-117
- , polydispersity of linear molecules and interstitial (interknotal) chains of network polyurethanes, 125
- Functionalization of polystyrene, 99
- Gautier's preparation, 210
- Geminal hydroxyl, 359
- General susceptibility, 378
- Geometric selectivity in polymeric reagents, 91
- Glass transition, 17-19, 21, 24
- Glass transition temperature, 267, 270-279, 281-284, 288
- , of network polymers of oligoester acrylates, 117, 172-174
- Glassy state, 331
- Glucose, 268
- Grafting, 351, 352, 365, 366
- Green function, 378
- Guth-Gold equation, 343
- Heat treatment, 350
- Helical screw sense, 232
- Heterocyclic compounds, 208
- Heterophasic acid catalyst system, 208
- Hexagonal packing of rods, 241
- High-structure blacks, 334
- Histidine containing polyisocyanide, 247
- Hoffmann reaction, 210
- Hole model, 277
- Hole theory, 392
- Hoopline synthesis, 72
- Hydrated silica, 355
- Hydrodynamic effect, 345, 346
- Hydrodynamic volumes, equivalent, 250
- Hydrogen exchange, 350
- α -Hydroxyimines, oxidation of, 234
- Hypersonic attenuation, 23
- Hysteresis, 329, 345, 346
- Imine condensations, 214
- Immobilization by polymers, 80
- Immobilized elastomer, 331, 343
- Initiation types for isocyanide polymerization, 216
- Insertion and monomer association, 219
- Insertion of isocyanide into the strong Fe-Si bond, 214
- Insertion reactions, 235
- Insertion reactions with isocyanide, 213
- Insoluble polyisocyanides, 249
- Insulators, 247
- Insulin, synthesis on polymer, 87
- Interchange ligands, 214
- Irreversible viscosity decay, 248
- Isomerization, 235
- Intersite interaction, 87
- Intrinsic viscosity, see Viscosity
- Ion extraction by polymers, 63
- IR and NMR spectral band shifts, 214
- IR spectra of PPEI, 245
- Iridescent colors, 243
- Iron complex of cyclohexyl isocyanide, 236
- Isocyanide derivatization, 212
- Isocyanide preparations, 209
- Isocyanides, anionic and cationic treatments of, 240
- , by alkylation, 210
- , chain alkylation of, 212
- , chain propagation of, 214
- , chemical history of, 208
- , comprehensive reviews, 209
- , derivatized copolymers of, 221
- , dimerization of, 212
- , *N*-methylation of, 240
- , para substitution of, 213
- , polymerization of, 213
- , by Ni(II) catalysts, 219
- , polymers and copolymers of, 232
- , stereoisomeric copolymers of, 221
- α -Isocyanobutyrate, 231
- α -Isocyano- β -phenylpropionate, 231
- α -Isocyanopropionate, 231
- Isolated hydroxyl, 359
- Isomerization, 214
- Isopropyl isocyanide, polymerization of, 219, 220
- Isothermal viscosity theory, 257

- Jump frequency, 257
- Kinetics, 219
- Kishimoto-Fujita equation, 460
- Kovacs equation, 391
- Kubo formula, 378
- Landau-Placzek ratio, 7, 9, 13-19
- Left-handed (*M*) screw, 220
- Lennard-Jones potential, 382
- Ligand exchanges, 214
- Light scattering, 1, 260
- Liquid crystalline properties of concentrated solutions of PPEI, 243
- Liquid diffraction patterns, 243
- Local order, 434
- , motion, 384
- Log normal distribution, see Distribution
- "Long-living" acrylate radicals by three-dimensional polymerization of oligoester acrylates, 143
- Loss tangent, 345, 346
- Low-structure blacks, 334
- Luminescence, 425
- Magic angle rotation, 414
- Magnetic birefringence, 415
- , resonance spectroscopy, 409
- Manufacture of blacks, 332
- Manufacture of silicas, 355
- Mark-Houwink viscosity constants, 248, 250
- Maxwell-Wagner-Sillars polarization, 451
- Mean square radius of gyration, 257, 258, 262, 267, 285, 286, 288
- Mechanical dipole, 388
- , spectroscopy, 397
- Mechanical moduli, 2-5
- Mechanisms, 215
- Melt viscosity of polymers, see Viscosity of polymer melts
- Mesophases, 249
- Metalating agents, polymeric, 74
- p*-Methoxyphenyl isocyanides, 222
- Methyl ester of benzyl-L-carbarylhistidine, 231
- Methyl group tunneling, 395
- Methyl α -isocyanopropionate, 222
- 1-Methyl-1-phenylhydrazine, 234
- Microenvironmental effects, polymeric, 90
- Micropores, 330
- Migration of black, 354
- Millich's intrinsic isoviscosity, 249
- Millich's isohydrodynamic volume, 249, 251
- Modification of Walborsky and Niznik, 210
- Moffitt-Yang plot, 244
- Moisture adsorption, 339
- Molar viscous flow function, 281
- Molecular mobility of high crosslinked polymers of oligoester acrylates, 152-154
- Molecular sieves, 233
- Molecular slippage, 332, 342
- Molecular theories of polymer melt viscosity, 255-259, 296-321
- Molecular weight, effect on viscosity, 255, 256, 258-260, 263, 265, 281, 285-319
- Molecular weight distribution, effect on viscosity, see Distribution
- Molecular weight distribution, of oligomers, influence on polydispersity of linear polyurethanes and chains between network knots of polyurethanes, 121-124
- , of primary macrochains of diallylphthalate in pregelation stage, 129
- , of primary macrochains during three-dimensional polymerization of oligoester acrylates, 112, 149
- Monodisperse systems, effect on viscosity, 255, 264, 297-307, 311
- Monofunctional oligomers, influence on kinetics and properties of network polyurethanes, 115-117
- , influence on polydispersity of linear macromolecules and chains between network knots of polyurethanes, 125
- Monomer ordering, 231
- Monosaccharides, 233
- Morphology of blacks, 341
- Morphology of network polymers, of oligoester acrylates, 152
- , of oligooxyethylene urethane methacrylates, 153, 154
- , of polyurethanes based on oligopropylene glycol, 114
- Multiple glass transition, 437
- , transitions, 427
- Multipolymer synthesis, 95
- Network polymer of diacrylate(ethylene glycol phthalate), 169
- , dichloroacrylate(ethylene glycol phthalate), 169
- , difluoroacrylate(ethylene glycol phthalate), 169

- , dimethacrylate(diethylene glycol isophthalate), 168, 169
- , dimethacrylate(diethylene glycol phthalate), 168, 171
- , dimethacrylate(ethylene glycol isophthalate), 168
- , dimethacrylate(ethylene glycol phthalate), 168, 169
- , dimethacrylate(ethylene glycol terephthalate), 168
- , dimethacrylate (oligobutylene glycol phthalate), 171
- , dimethacrylate (oligodiethylene glycol formal), 141, 151
- , dimethacrylate (oligodiethylene glycol phthalate), 171
- , dimethacrylate(oligoethylene glycol formal), 141, 151
- , dimethacrylate (oligoethylene glycol phthalate), 171
- , dimethacrylate(oligoxyalkylene glycol urethane), 170-172
- , dimethacrylate(oligotetramethylene glycol), 141, 151, 159-167
- , di(4-methacryloxyethylene carbamate toluylene-2-carbamic) ester of oligoethylene glycols, 153, 172-176
- , oligoester acrylates, 150-167
- , physicommechanical properties of, 167-176
- , thermal destruction of, 177
- , thermooxidation destruction of, 178
- , thermostability of, 167, 172, 176-178
- , thiethylene glycol diacrylate, 169
- , triethylene glycol dichloroacrylate, 169
- , triethylene glycol difluoroacrylate, 169
- , triethylene glycol dimethacrylate, 169
- Neutron scattering, 423
- New technology blacks, 333, 339
- Newtonian viscosity, see Viscosity
- Ni(II) coordination catalysts, 215
- Nitriles, polymerization of, 235
- Nitroxide spin label, 415
- Non-Newtonian viscosity, see Viscosity
- Nuclear relaxation times, 410
- Nylon-6, 280, 284, 320
- Nylons, 320
- Occlusion, 331, 341-343, 357
- Occupational probability matrix, 381
- Oligoester acrylates, feature of three-dimensional (crosslinking) polymerization, 129-144
- , properties of network polymers of, 152-178
- Oligoimine, 234
- Oligoisocyanides, 232, 240, 251
- , preparation of, 233
- , structures of, 240
- Oligomers, 236, 248
- , reactivity, dependence on molecular weight, 119-121
- , low molecular compounds, influence on kinetics and properties of polyurethanes, 117-119
- Optical resolution by polymeric reagents, 65
- Optical rotation of the supramolecular helix, 243
- Optically active isocyanides, 210
- Organometallic isocyanides, 214
- , influence of UV radiation on, 214
- Orientation, 439
- Orientation of carbon chains, 349
- Orthogonal imine groups, 232
- Oscillator strength, dielectric, 429, 433
- Oxidation of 5-substituted amino tetrazoles, 211
- Oxidative degradation, 450
- Para-substituted phenyl isocyanides, 220
- Particle size, 332, 333, 356
- Pelletized black, 336
- N,N',N''*-(2,3,4-Pentanetriylidene)tris[α -phenylethylamine], 233
- Penta(α -phenylethyl isocyanide), 232
- Peptide synthesis, Merrifield, 76
- Permethylphenylhydrazones ("alkazones"), 234
- Persistent structure, 334
- Phase transfer catalysts, polymeric, 61
- Phenyl isocyanides, 222
- α -Phenylethyl isocyanide, 221, 222
- , polymerization of, catalyzed by concentrated sulfuric acid, 217
- Phenylethyl isocyanides, 231
- α -Phenyl-*o*-cresol, 275
- Phonon velocity dispersion, 20
- Phosgene, 210, 211
- Photopolymerization of alkylene glycol dimethacrylate, 133, 137
- Photosensitizer, polymeric, 61
- Physical aging, 454
- Plasticizing, 437
- Poisson ratio, 21, 22
- Polar selectivity in polymeric reagents, 90

- Polarized IR spectroscopy, 245
Poly(alkyl methacrylate)s, 427
Polyamide 6,10, 433
Poly[1-(4-bromophenyl)ethyl isocyanide], 231
Polybutadiene, 260, 261, 263, 265, 268, 272, 275, 278, 280, 284, 286-288, 304
Poly(butyl methacrylate), 459
Poly(*n*-butyl methacrylate), 272, 278, 280, 284
Polycarbonate, 280
Poly(ϵ -caprolactam), 262, 263, 287, 288
Poly(cyclohexyl methacrylate)s, 389
Poly(decamethylene adipate), 258, 262, 263, 278, 280, 284
Poly(decamethylene sebacate), 262, 263, 278, 280
Poly(decamethylene succinate), 262, 263, 278, 280
Poly(dimethylsiloxane), 260, 262, 263, 266, 268, 275, 278, 280, 291, 298, 305, 306, 314
Polydisperse systems, effect on viscosity, 255, 258, 259, 265, 289, 290, 301, 302, 304, 307-320
Polydispersity, 264, 291, 307, 312, 314, 319
Polyester resins, 445, 447
Polyesters, 263, 291
Polyether solutions, 387
Poly(ethyl methacrylate), 272
Polyethylene, 259, 263, 264, 268, 269, 278, 280, 284, 287, 288, 289, 291-293, 298, 305, 307, 313, 314, 388, 436, 451, 453
-, oxidative degradation, 436
Polyethylene-co-polypropylene, 265
Poly(ethylene glycol), 261
Poly(ethylene oxide), 263, 278, 280, 284
Poly(ethylene terephthalate), 280
Poly(hexadecene-1), 269
Poly(hexene-1), 268
Poly(*n*-hexyl methacrylate), 272
Poly(ω -hydroxy undecanoate), 262
Polyisobutene, 263, 277, 278, 280, 284
Polyisobutylene, 260, 262, 268-272, 287, 299, 307, 308, 311, 312, 314
Polyisocyanides, 207
-, polydispersity of, 215
-, system of nomenclature, 209
Polyisoprene, 263, 278, 280, 284, 304
Polymer blends, see Blends
Polymer compatibility, 26
Polymer-oligomeric compositions, 179-191
-, PVC-oligoester acrylate, 188, 189
-, properties of cured PVC-OEA composites, 190
-, rubber-oligoester acrylate, 180-187
-, glass transition temperature of rubber-OEA vulcanizates, 181
-, mechanism of vulcanization, 181, 185
-, molecular mobility in, 181, 182
-, physicommechanical properties of, 184, 186, 187
-, structure of, 181-183
-, SKEP-oligoester acrylate, 185
Polymer melts, viscosity of, see Viscosity
Polymerization, three-dimensional (cross-linking) of oligoester acrylates, anionic, 147-149
-, radiation, 149, 150
-, radical, 131-144
-, constant of chain propagation rate, 137, 138, 140, 141, 146
-, constant of chain termination rate, 137, 138, 140
-, influence of functionality on, 132, 133
-, influence of inhibitors on, 136
-, influence of solvents on, 135, 141, 142
-, in the presence of oxygen, 144-146
Polymerization in aprotic solvents, 221
Polymerization initiation, 215
Polymerization with concentrated sulfuric acid, 214
Polymers, antioxidation, 29
-, chain scission, 29
-, crosslinking, 30
Poly(methyl acrylate), 272, 277
Poly(methyl methacrylate), 258, 260, 263, 268, 271, 277, 278, 280, 284, 391, 396, 457
-, deuterated, 396
Poly(neopentyl succinate), 263
Poly(octadecene-1), 269
Poly(octene-1), 268
Poly(*n*-octyl methacrylate), 277
Poly(1-olefin), 268
Poly(oxydiethylene adipate), 262
Poly(α -phenylethyl isocyanide) (PPEI), 208, 215, 241, 247, 251
-, characteristics of, 240
-, films of, 241
Poly(R- α -phenylethyl isocyanide)s, 231
Poly(S- α -phenylethyl isocyanide)s, 231
Polypropene, 278, 280, 284
Polypropylene, 269, 305, 314, 319, 320, 440, 451
Polystyrene, 259-263, 266, 268, 269, 271, 272, 275, 277, 278, 280, 284, 287, 291, 300, 303, 304, 306, 307, 312, 314-316, 432, 457
Polystyrene-co-divinyl benzene, 291
Poly(*tert*-butyl isocyanide), 231

- Poly(tetra-methyl *p*-silphenyl siloxane), 260, 268
Polyvicinal imine configuration, 245
Poly(vinyl acetate), 260, 263, 268, 271, 272, 278, 280, 284, 286-289
Poly(vinyl butyral), 269
Poly(vinyl chloride), 280
Poly(vinyl chloride) chlorinated, 430
-, degradation, 449
-, plasticized, 437
-, unplasticized, 431, 433, 441, 455
-, toughened, 438
Primary alkyl groups, isomerization of, 215
Primary alkyl isocyanides, polymerization of, 215
Porous particles, 333, 349, 357
Preferred helical screw sense, 220
Production of blacks, 332
Production of silicas, 356
Promotor, 363
Protonation in strong acids, 247, 248
N,N',N''-Propanetriylidenetris(aniline), 234
Protecting groups, polymeric, 75
Pseudo-hexagonal triclinic unit cell, 243
Pulsed thermomechanical spectrometer, 401
Pyroxylin, 241
Pyrogenic silica, 355
- Quantum tunneling, 395
- Racemate, 231
Racemic mixture of oppositely wound helices, 244
Racemic mixture of stereoregular helices, 231
Racemic PPEI films, 244
Racemization, 248
Radioactive black, 350
Radio thermoluminescence, 425
Radioactive SBR, 350
Radius of gyration, see Mean square radius of gyration
Random flock, 338
Rayleigh scattering, 2
Reaction rate promoted by the presence of oxygen, 217
Redox polymers, 67
Reduced viscosity, 297
Reduction of isocyanates and isothiocyanates, 211
Rehydrated silica, 360
Relative reactivity values of copolymerization, 222
Relaxation-controlled diffusion, 459
-, time distribution, 379
-, with simultaneous chain scissions, 453
Relaxation properties of network polymers of oligoester acrylates, dependence on the long chain of initial oligomers, 159-167
Relaxation time(s), 270, 273, 296, 297, 303, 306, 307, 311, 312, 318, 319
Resilience, 343
Resolvability of optically active fractions, 231
Retardation time(s), 302
Rheometer, 355, 369
Rheo-vibron, 398
Right-handed (*P*) screw, 220
Rigid rod polymers, 250, 251
Rod packing of solvent cast PPEI film, 243
Rodlike polymers, 243
Rotating frame nuclear relaxation time, 412
Rotation of groups, 381
Rotational diffusion model, 386
Rubber, 443
Rubber blends, 354
Rubbery state, 331
Rules for predicting induction, 220
Rupture of bonds, 349
Rusch equation, 390
- Sachs procedure, 233
Saturated elastomers, 350
Scattering techniques, 420
Schwarzl-Staverman transformation, 405
Screw dislocations, 388
M-screw polymer, 220
Screw sense, 220
Sec-alkyl isocyanides, 247
Secondary transitions, 427
Second-order transition, 273, 274
Segments, 256, 257, 267
Segmental coordination, 257
Segmental friction factor, 257, see Friction factor
Segmental motion, 257, 267
Segmental order, 269
Segmental relaxation time, 273
Segmental size, 277
Selenium, 275
Semicrystalline polymers, 435
Separated local field NMR, 414

- Shape factor, 343
Shear rate, effect on viscosity, 255, 256, 267, 269, 293-320
Shear stress, effect on viscosity, 256, 267, 269, 285, 293-296, 320
Shell rubber, 343
Shift factor, 270, 297
Shrinkage, 403
-, creep thermomechanical curve, 403, 441
Silanol groups, 359, 360
Siloxane groups, 360
Silicone rubber, 328, 368
Single relaxation time approximation, 379
Skid resistance, 367
Small-angle x-ray scattering, 241
Solid phase catalysts, 247
Solution thermodynamics, 241
Specific separations, 63
Specific volume, 257, 258, 269, 336, 357
Spin-echo technique, 410
-, labeling, 414
-, lattice relaxation, 409
-, spin relaxation, 410
Star-shaped polymers, 287, 288
Stereoregular helicity, 231
Stereoselective polymerization, 231
Stiffness, 268, 269, 281
Strain crystallization, 329
Stress relaxation, 346-348
Stress softening, 329, 346, 348
Structural factor, 257, 258, 267, 271, 281
Structural index, 357
Structural transitions, 430
Structure, effect on viscosity, 257, 258
Structures of PPEI obtained from cast films, 241
Struik equation, 455
Styrene-butadiene rubber, 269, 271
Surface area, 330, 356
Surface hydrogen, 350, 351
Swelling, 361, 362
Syn-anti configuration, 232
Syn vs. anti geometric isomerism, 234

 t area, 337
 T_g -type transitions, 427
Tacticity, 231, 428
Tautomerization, 215, 233
Temperature, as variable, 397
-, effect on viscosity, see Viscosity
Temperature dependence of molecular weight, 221
Tensile rupture, 329

Termination, 219
Termination steps, 221
Terpolymers of unsubstituted, *p*-bromo- and *p*-diphenyl phosphino-substituted and phenyl substituents, 231
Tert-butyl isocyanide, 236
Tertiary butyl isocyanide, 235
2,3,4,6-Tetra-*O*-benzoyl-D-glycopyranosyl isocyanide, 231
Tetrakis-imino complexes, 236
Thermal diffusivity measurement, 418
-, explosion by curing, 446
-, conductivity measurement, 418
Thermogravimetric analysis, 248
Thermoluminescence, 425
Theta solution, 262
Three-phase test, 93
Time domain reflectometry, 405
-, temperature shift factor, 390
Titanocene, polymer-bound, 84
p-Tolyl isocyanides, 222
 σ -Tolyl isocyanides, 222
Torsional braid analysis, 398
-, pendulum, 398
Transfer, 235
Transfer agents, polymeric, 67
Transient structure, 334, 344
Transition dipole coupling, 247
Transition matrix, 381
Transition metal-isocyano complex, 213, 214
Transition metals, 239
Trichloroacetic acid, 219
1,3,5-Tri(*o*-naphthyl benzene), 268, 275
Tris-imino complexes, 236
Tunneling frequency, 395

Ultrasonic spectrometers, 400
Unextractable elastomer, 352, 353
Unrelax module system, 399
Unsaturated elastomers, 350
UV spectral absorption, 246

Vacuoles, 348, 361, 363
Vibrating reed technique, 398
Vibronic states, 393
Vicinal hydroxyl, 359
Viscosity
-, coefficient of, 256
-, entanglement effects on, see Entanglement(s)
-, generalized theory of, 281, 285

- , intrinsic, 262
- , molecular theories of, see Molecular theories of polymer melt viscosity
- , molecular weight effects on, see Molecular weight
- , molecular weight, distribution effects on, see Distribution
- , Newtonian (also zero shear viscosity), 255, 256-296, 307, 314
- , non-Newtonian, 255, 256, 261, 293-321
- , of branched polymers, see Branching
- , of comb-shaped polymers, see Comb-shaped polymers
- , of molten polymers, 255-321
- , of monodisperse systems, see Monodisperse systems
- , of polydisperse systems, see Polydisperse systems
- , of polymer blends, see Blends
- , of polymer melts, 255-321
- , of star-shaped polymers, see Star-shaped polymers
- , review of, 255-321
- , shear rate effects on, see Shear rate
- , shear stress effects on, see Shear stress
- , structure effects on, see Structure
- , temperature effects on, 255, 256, 267-285, 294, 296-321
- Viscosity changes, 248
- Viscous flow activation energy, see Activation energy of viscous flow
- Void volume, 336, 357
- Volume relaxation, 390, 454
- , shift factor, 391
- Wannier exciton, 393
- William-Watts autocorrelation function, 387
- Wittig reagents, polymeric, 73
- WLF equation, 390
- Wood-polyester composite, 445
- X irradiation, 453
- Zero shear viscosity, see Viscosity, Newtonian

Cumulative Index to Volumes 1-15

	VOL.	PAGE
Acetylenes, Linear and Cyclic, Solid-State Polymerization of (Baughman and Yee)	13	219
Acrylic Monomers with Donor Monomers in the Presence of Lewis Acid, Mechanism of Alternating Copolymerization of (Hirai)	11	47
Addition Polymerization of Cyclobutene and Bicyclobutane Monomers (Hall and Ykman)	11	1
Alternating Copolymerization of Acrylic Monomers with Donor Monomers in the Presence of Lewis Acid, Mechanism of (Hirai)	11	47
Anionic Polymerization in Unsaturated Monomers, Homogeneous (Morton and Fetters)	2	71
Antioxidants, Analysis of, in Polymers by Liquid Chromatography (Walter and Johnson)	15	29
Aromatic Heterocycles by Polyphosphoric Acid Solution Methods, New Polymers of (Yoda and Kurihara)	5	109
Aromatic Polymers (Braunsteiner and Mark)	9	83
Asymmetric-Selective (or Stereoselective) Polymers, Stereoselective and (Tsuruta)	6	179
Biological Molecules, Raman Spectroscopy of, A Review (Koenig)	6	59
Biopolymers, Optical Rotatory Properties (Woody)	12	181
Brillouin Scattering from Polymers (Patterson and Latham)	15	1
Catalyst Composition, Relationship of, to Catalytic Activity for the Polymerization of α -Olefins (Coover, McConnell, and Joyner)	1	91
Cellulose Derivatives Containing Carboxylic Acid Groups (Allen and Cuculo)	7	189
Cement Concrete and Organic Polymers, Polyblends of (Rio and Cernia)	9	127
Chemical Modification of Polymers with Flame-Retardant Compounds (Tesoro)	13	283
Chemistry of Unsaturated Ethylene-Propylene Based Terpolymers (Cesca)	10	1
Combined Relaxation Spectroscopy of Polymers (Hedvig)	15	375
Comb-Like Polymers, Structure and Properties (Plate and Shibaev)	8	117
Copolymerization in the Crystalline Solid State (Herz and Stannett)	3	1
Copolymers, The Physical Properties of Polyacrylonitrile and Its (Beevers)	3	113
Crazing and Fracture in Thermoplastics (Kambour)	7	1
Crosslinked Crystalline Polymers, Structure and Properties of (Kitamaru and Hyon)	14	207
Crystalline Solid State, Copolymerization in (Herz and Stannett)	3	1
Crystallization, Epitaxial, of Macromolecules (Mauritz, Baer, and Hopfinger)	13	1
Cyclobutene and Bicyclobutane Monomers, Addition Polymerization of (Hall and Ykman)	11	1
Degradation, Polymer, Dynamic Thermogravimetric Analysis in (Reich and Levi)	1	173
Dehydrochlorination and Stabilization of Poly(Vinyl Chloride), Thermal (Ayrey, Head, and Poller)	8	1
Differential Thermal Analysis Techniques, Polymer Degradation by (Reich)	3	49
Dilute Polymer Solutions, Thermodynamic and Hydrodynamic Behavior of (Berry and Casassa)	4	1
DNA, Hydrodynamic Properties of (Bloomfield)	3	255
Drag Reduction in Turbulent Flow by Polymer Additives (Lumley)	7	263
Dynamic Thermogravimetric Analysis in Polymer Degradation (Reich and Levi)	1	173
Elastomers, Reinforcement by Fillers (Voet)	15	327
Electrolytically Controlled Polymerizations (Funt)	1	35

Electron Spin Resonance of Polymers (Campbell)	4	91
Electron-Transfer Polymers (Oxidation-Reduction Polymers) (Cassidy)	6	1
Engineering, Polymerization Systems—A Literature Review (Fan and Shastri) ..	7	155
Ethylene-Propylene Based Terpolymers, Unsaturated, Chemistry of (Cesca)	10	1
Flame-Retardant Compounds, Chemical Modification of Polymers with (Tesoro) ..	13	283
Fiber, Film-to-Fiber Technology (Krässig)	12	323
Fibers, Hard-Elastic (Cannon, McKenna, and Statton)	11	209
Fibers, Hard-Elastic, Erratum (Cannon, McKenna, and Statton)	12	421
Growing Active Centers and Their Reactivities in "Living" Anionic Polymerizations of Styrene and its Derivatives (Hirohara and Ise)	6	295
Hard Elastic Fibers (Cannon, McKenna, and Statton)	11	209
High-Temperature Polymers, Stability of (Arnold)	14	265
Hydrodynamic Properties of DNA (Bloomfield)	3	255
Interpenetrating Polymer Networks (Sperling)	12	141
Intramolecular Reactions on Polymer Chains (Imanishi)	14	1
Isocyanates in Polar Solvents, Synthesis of Polymers from (Ulrich)	11	93
Laser-Vibrational Scattering by Polymers (Schaufele)	4	67
"Living" Anionic Polymerizations of Styrene and Its Derivatives, Growing Active Centers and Their Reactivities in (Hirohara and Ise)	6	295
Living Polymers, the Use of, in the Preparation of Polymer Structures of Controlled Architecture (Henderson and Szwarc)	3	317
Macromolecules, Epitaxial Crystallization of (Mauritz, Baer, and Hopfinger) ..	13	1
Mass Spectral Characterization of Oligomers (Wiley)	14	379
Mechanism of Alternating Copolymerization of Acrylic Monomers with Donor Monomers in the Presence of Lewis Acid (Hirai)	11	47
Monomers, Unsaturated, Homogeneous Anionic Polymerization in (Morton and Fetters)	2	71
Network Polymers (Berlin and Matvejeva)	15	107
Networks, Interpenetrating Polymer (Sperling)	12	141
Neutron Scattering, the Technique of, and Its Application to Polymers (Safford and Naumann)	2	1
New Polymers of Aromatic Heterocycles by Polyphosphoric Acid Solution Methods (Yoda and Kurihara)	5	109
NMR Observations of Polypeptide Conformation (Bovey)	9	1
Nonequilibrium Osmometry (Coll)	5	541
α -Olefins, Relationship of Catalyst Composition to Catalytic Activity for the Poly- merization of (Coover, McConnell, and Joyner)	1	91
Oligomers, Mass Spectral Characterization of (Wiley)	14	379
Oligomers, Polyreactive, The Progress in Chemistry of (Berlin and Matvejeva) ..	12	1
One Electron Transfer Initiated Polymerization Reactions. I. Initiation Through Monomer Cation Radicals (Gaylord)	4	183
One Electron Transfer Initiated Polymerization Reactions. II. Initiation Through Monomer Anion Radicals (Gaylord and Dixit)	8	51
Optically Active Polymers (Goodman, Abe, and Fan)	1	1
Osmometry, Nonequilibrium (Coll)	5	541
Oxidation-Reduction Polymers, Electron-Transfer Polymers (Cassidy)	6	1
Participation of Sulfur Compounds in Vinyl and Related Polymerization (Ghosh) ..	5	195
Photochemistry of Commercial Polyamides (Allen and McKellar)	13	241
Polycrylonitrile and Its Copolymers, the Physical Properties of (Beevers)	3	113
Polyamides, Commercial, Photochemistry of (Allen and McKellar)	13	241
Polyamides, Post-Nylon (Lenk)	13	355
Polyblends of Cement Concrete and Organic Polymers (Rio and Cernia)	9	127
Polyethers, Structure of Crystalline (Tadokoro)	1	119

Polyethylene Crystals (Fava)	5	1
Polymides (Sroog)	11	161
Polyisocyanides (Millich)	15	207
Polymer Additives, Drag Reduction in Turbulent Flow by (Lumley)	7	263
Polymer Chains, Intramolecular Reactions on (Imanishi)	14	1
Polymer Degradation, by Differential Thermal Analysis Techniques (Reich) ...	3	49
Polymer Melts, Viscosity-Molecular Weight-Temperature-Shear Rate Relationships (Kumar)	15	255
Polymeric Reagents (Kraus and Patchornik)	15	55
Polymerization, Coordination, by Transition-Metal Alkyls and Hydrides (Yamamoto and Yamamoto)	13	161
Polymerization, One Electron Transfer Initiated. II. Initiation Through Monomer Anion Radicals (Gaylord and Dixit)	8	51
Polymerization Reactions, One Electron Transfer Initiated. I. Initiation Through Monomer Cation Radicals (Gaylord)	4	183
Polymerization, Solid-State, of Linear and Cyclic Acetylenes (Baughman and Yee)	13	219
Polymerization Systems Engineering—A Literature Review (Fan and Shastri) ..	7	155
Polymerization of Vinyl Ketones (Lyons)	6	251
Polymerizations, Electrolytically Controlled (Funt)	1	35
Polymers, Aromatic (Braunsteiner and Mark)	9	83
Polymers, Chemical Modification of, with Flame-Retardant Compounds (Tesoro) ..	13	283
Polymers, Comb-Like Structure and Properties (Platé and Shibaev)	8	117
Polymers Crystallized or Processed Under Molecular Orientation (Kitamaru and Hyon)	14	207
Poly(<i>N</i> -Vinylcarbazole). Polymerization, Structure, Properties, and Electrical Characteristics of (Penwell, Ganguly, and Smith)	13	63
Polypeptide Conformation, NMR Observations of (Bovey)	9	1
Polyphenylenes (Noren and Stille)	5	385
Polypropylene, Syndiotactic (Youngman and Boor)	2	33
Polyreactive Oligomers (Berlin and Matvejeva)	15	107
Poly-9-Vinylanthracene (Rembaum and Eisenberg)	1	57
Poly(Vinyl Alcohol), Stereochemistry of (Fujii)	5	431
Poly(Vinyl Chloride), The Thermal Dehydrochlorination and Stabilization of (Ayrey, Head, and Poller)	8	1
Post-Nylon Polyamides (Lenk)	13	355
Radiation Chemistry of Polymers, Role of Free Radicals in the (Turner)	5	229
Radiative Degradation of Synthetic Polymers (Shalaby)	14	419
Raman Spectroscopy of Biological Molecules: A Review (Koenig)	6	59
Role of Free Radicals in the Radiation Chemistry of Polymers (Turner)	5	229
Rubberlike Networks and Their Bearing on the Foundations of Elasticity Theory, Thermoelectric Results on (Mark)	11	135
Solid-State Polymerization of Linear and Cyclic Acetylenes (Baughman and Yee) ..	13	219
Space Charge Limited Currents in Polymers (Kryszewski and Szymanski)	4	245
Stability of High-Temperature Polymers (Arnold)	14	265
Stereochemistry of Poly(Vinyl Alcohol) (Fujii)	5	431
Stereoselective and Asymmetric-Selective (or Stereoelective) Polymers (Tsuruta) ..	6	179
Structure of Crystalline Polyethers (Tadokoro)	1	119
Sulfur Compounds in Vinyl and Related Polymerization, Participation of (Ghosh) ..	5	195
Synthesis of Polymers from Isocyanates in Polar Solvents (Ulrich)	11	93
Synthetic Polymers, Radiative Degradation of (Shalaby)	14	419
Thermodynamic and Hydrodynamic Behavior of Dilute Polymer Solutions (Berry and Casassa)	4	1

Thermoelastic Results on Rubberlike Networks and Their Bearing on the Foundations of Elasticity Theory (Mark)	11	135
Thermogravimetric Analysis, Dynamic, in Polymer Degradation (Reich and Levi)	1	173
Thermoplastics, A Review of Crazing and Fracture in (Kambour)	7	1
Transition-Metal Alkyls and Hydrides, Coordination Polymerization by (Yamamoto and Yamamoto)	13	161
Vinyl Ketones, Polymerization of (Lyons)	6	251
Viscoelasticity of Solid Polymers (in Uniaxial Tensile Loading), Nonlinear (Yannas)	9	163
Ziegler-Type Catalyst, The Nature of the Active Site in the (Boor)	2	115

